

Samuel Young

Differentiation of Cyanobacteria



Vegetative cell

Differentiation of Cyanobacteria



Hormogonia + vegetative cells



Vegetative cell

Differentiation of Cyanobacteria





Hormogonia + vegetative cells

Vegetative cell



Hormogonia

genes of hormogonia



Machinery of sense in bacteria



Methyl-accepting chemotaxis protein (MCPs) machinery



mutated versus wild-type MCPs



Campbell et al.

Wild-types



vegetative cells WT

Hormogonia WT

Duggan et.al

Mutated versus wild-type construct pili



Duggan et.al

S-shaped mutate



Are pili important to S-shape?

Overview of Experiment





Overview of Experiment







Prime construction



Clone vector for double recombination









































cai Y, and Wolks, JC. Use of a Conditionally Lethal Gene in Anabaena sp. Strain PCC 7120 To Select for Double Recombinants and To Entrap Insertion Sequences. Journal of Bacteriology, 172:3138-3145.

Campbell. EL, Hagen KD, Chen R, Risser DD, Ferreira DP, Meeks JC. 2015. Genetic Analysis Reveals the Identity of the Photoreceptorfor Phototaxis in Hormogonium Filaments of Nostoc punctiforme. Journal of Bacteriology, 196:782-791.

Cohen CF, Wallis JG, Campbell EL, Meeks JC. 1994.Transposon mutagenesis of Nostoc sp. strain ATCC 29133, a filamentous cyanobacterium with multiple cellular differentiation alternatives Mircobiology. 140:3233-3240.

Duggan PS, Gottardello P, Adams DG. 2007. Molecular Analysis of Genes in Nostoc Punctiforme Involved in pilus Biogenesis and Plant Infection. Journal of Bacteriology 189:4547-4551.